

# TREVISTA 50

Concrete Paver

**BWS** BEST WAY  
STONE®



## Installation Guide


**VB**  
VAN BEEK'S  
LANDSCAPE SUPPLY

[www.vanbeeks.com](http://www.vanbeeks.com)

# INSTALLATION GUIDES - SLABS & PAVERS


## SLAB INSTALLATION TYPICAL CROSS SECTION

- 1 Best Way Stone® precast concrete slab 1 3/4" to 2" (45 to 50mm)
- 2 Sand joint fill
- 3 Bedding Sand 1" (25mm)
- 4 Geotextile 12" (300mm) wide
- 5 Plastic edge
- 6 Extra width equal to foundation thickness
- 7 Lawn
- 8 Nail
- 9 Compacted aggregate base 0 3/4" (0-20mm)
- 10 Geotextile
- 11 Subgrade




## SLABS ON PEDESTAL SET

- 1 Roof deck
- 2 Waterproof membrane
- 3 Protection board
- 4 Rigid insulation
- 5 Adjustable pedestal
- 6 Best Way Stone® precast concrete slab 1 3/4" to 2 1/2" (45-65mm) thickness conforming to ASTM C 1782 and CSA A231.1
- 7 Best Way Stone® Trevista 50 slabs, 2" (50mm) thickness conforming to ASTM C 1782 and CSA A231.1
- 8 Roof drain



## TYPICAL PAVER CROSS SECTION WITH PLASTIC EDGE

- 1 Best Way Stone® precast concrete paver 2 3/8" (60mm) thick min.
- 2 Sand joint fill
- 3 Bedding Sand 1" (25mm)
- 4 Extra width equal to foundation thickness
- 5 Lawn
- 6 Plastic edge
- 7 Nail
- 8 Geotextile
- 9 Compacted aggregate base 0 3/4" (0-20mm)
- 10 Subgrade




# TREVISTA® 50 TEXTURED

SIGNATURE SERIES SLAB / 50MM /  




## BUNDLE OVERVIEW



## UNITS



19.5 x 13 x 2 in  
495 x 330 x 50 mm  
Units/bundle: 24  
Units/layer: 2



13 x 13 x 2 in  
330 x 330 x 50 mm  
Units/bundle: 48  
Units/layer: 4



6.5 x 13 x 2 in  
165 x 330 x 50 mm  
Units/bundle: 48  
Units/layer: 4

## NOTES

For pedestrian use only. Large format slabs with natural textured finish. DesignLoc technology provides a highly refined and detailed surface, with integral colouring. Border or accent with Adelaide 50, Lyra, Richmond 50 or Tresca.

Sold and packaged together in a 1:2:2 ratio. Plate tamper not recommended.




## BUNDLE SPECIFICATIONS

	IMPERIAL	METRIC
Coverage	125.4 ft <sup>2</sup>	11.64 m <sup>2</sup>
Weight	3010 lbs	1365 kg
Layers	12	
Coverage per layer	10.45 ft <sup>2</sup>	0.97 m <sup>2</sup>
Lineal coverage	117 ft / 78 ft	35.64 m / 23.76 m
Lineal coverage per layer	9.75 ft / 6.5 ft	2.97 m / 1.98 m

## COLOURS

- Autumn Hill (NEW)
- Beige Mix
- Carrara
- Glacier Creek
- Grey Mix


## PATTERNS



13" Soldier Course



19.5" Soldier Course




# TREVISTA® 50 SMOOTH

SIGNATURE SERIES SLAB / 50MM /



## BUNDLE OVERVIEW



## UNITS



19.5 x 13 x 2 in  
495 x 330 x 50 mm  
Units/bundle: 24  
Units/layer: 2



13 x 13 x 2 in  
330 x 330 x 50 mm  
Units/bundle: 48  
Units/layer: 4



6.5 x 13 x 2 in  
165 x 330 x 50 mm  
Units/bundle: 48  
Units/layer: 4

## NOTES

For pedestrian use only. Large format slabs with a smooth modern finish. DesignLoc technology provides a highly refined surface, with integral colouring. Border or accent with Adelaide 50, Lyra, Richmond 50 or Tresca.

Sold and packaged together in a 1:2:2 ratio. Plate tamper not recommended.

## BUNDLE SPECIFICATIONS

### IMPERIAL



### METRIC

	IMPERIAL	METRIC
Coverage	125.4 ft <sup>2</sup>	11.64 m <sup>2</sup>
Weight	3010 lbs	1365 kg
Layers	12	
Coverage per layer	10.45 ft <sup>2</sup>	0.97 m <sup>2</sup>
Lineal coverage	117 ft / 78 ft	35.64 m / 23.76 m
Lineal coverage per layer	9.75 ft / 6.5 ft	2.97 m / 1.98 m

## COLOURS

Autumn Hill **(NEW)**  
Beige Mix  
Carrara  
Glacier Creek  
Grey Mix

## PATTERNS



13" Soldier Course



19.5" Soldier Course

